



7600050

ANTER CONTRIBITO STRAINES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS; SHARL COME;

Seed Research Associates, Inc.

Williereas, there has been presented to the

Secretary of Agreequitouses

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF ACCURACEN. YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT.

WHE UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS

S OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT

'4555'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of washington this 19th day of July in

this 19th day of July in the year of our Lord one thousand nine hundred and seventy-seven

sevency-sev

Secretary of Agriculture

Aust.

Commissioner Plant Variety Protection

Grain Division

Agricultural Marketing Service



7600050

<u> ANIJE: UMIKLEID STRANIES OFFAMIJERIO A</u>

<u> TO ALL TO WHOM THESE PRESEMPS SHALL COME;</u> Robert I. Incquinot and Steven M. Incquinot

COUNTERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED To be entitled to a certificate of plant variety protection under the ${
m LAW}.$

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF YEARS FROM THE DATE OF THIS GRANT, SUBJECT seventeen TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, APORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. INITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT

145551

In Testimony Wahercot, Thave hexeunto set my hand and caused the seal of the Liaut Variety Protection Office to be affixed at the City of Washington this 19th day of July in the year of our Lord one thousand nine

hundred and seventy-seven.

13A Origin & Breeding History of 4555

Parentage: Scout x Sturdy

Original seed stock of 4555 was obtained by bulking four 1' x 10' rows. This bulk was from a single plant selection made in the F4 generation.

From this preliminary increase sufficient seed was obtained to start test and evaluation. It now has had three years testing information.

Seed classes to be produced beyond breeders seed are foundation and certified seed. Only certified seed will be offered to the public.

No particular requirements are necessary in order to maintain the purity of 4555 besides using a clean drill for seeding, roguing out any variants, and a clean combine for harvesting.

4555 is very stable for such practical agronomic characteristics as heading, maturity, height, and rust reaction. 4555 is no more variable than Scout when grown under the same conditions.

Foundation seed will be grown according to Kansas Crop Improvement requirements.

Roguing is used to remove variants. Offtypes whether taller, shorter, later, or of differing glume color should represent either mechanical mixtures or natural hybrids. Off types different from those mentioned should not be present in a commercial field planted to certified seed of 4555.

13B Botanical Description of 4555

The seed is hard red with short brush and crease narrow and deep with cheeks rounded.

The juvenile growth is prostrate and green. The flag leaf is erect early but later held horizontal with a twist to left.

At maturity the head is nodding with crook in peduncle just below the head and usually has a sterile spikelet at the bottom.

The head is fusiform, mid dense, awned, yellow and about 9 cm. long and 15 mm. wide.

The glumes are long and wide, glabrous, with the shoulder oblique and the beak acuminate.

It is semi dwarf height and early in maturity being Triumph season.

13D Novelty of 4555 4555 compared to its Scout parent

	Scout	4555
Days to heading compared to Scout	0	-4
Height	103 cm.	. 76 cm.
Lodging	30%	0%
Leaf rust rating	3.5*	4.5*
Mixing time	3 3/4 min.	5 5/8 min.
Loaf volume	good	good
wa		

*1-5 rating with 5 best

4555 is most similar to scout whest. *

90000

13E Ownership of 4555

Seed Research Associates Inc. are owners of 4555.

Kenneth Goertzen and Betty Goertzen are the plant breeders who developed the line.

Irrigated yield plot Scott City, Kansas - 1975 3 waterings

tree				1		1
						· · · · · · · · · · · · · · · · · · ·
AND AND SECURITY OF THE PROPERTY OF THE PROPER	ive				b0	
All Make Agency (1984)			Days to Heading Compared to Scout		Rating	
· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	- G	;	Rat	
:			——————————————————————————————————————			
	LD acre	-	9 9 9	- B	Rust	Protein
ARIETY	- G-%	Height cm	- P 8	Lodging%	Des H	0 te
——————————————————————————————————————	KIELD Bu./a	<u> </u>		Po	Leaf 5 be	<u>\</u>
	<u>>-</u> (A)	 	00	H	H	
Scout	63	103	0	30%	3.5	
Dual I	74.5	82	-1	0%	5	14.45
						-
Dual III	69	78		0%	5	
					:	
Dual V 5210	67	82	-3	0%	5	15.68
		:				
Dual VIII	71	83	-1	0%	5	15.02
				100	-	
2148	66	69	<u>+</u> 4	0%	5	
	·-·					
Plainsman IV	69.8	85	-4	0%	5	18.12
					· · · · · · · · · · · · · · · · · · ·	r
Plainsman V	72.5	78	-5	0% ·	5	17.0
	1					
Di-ineman IV	66.7	78	-4	0%		17.55
Plainsman IX	00.7			<u> </u>		
Plainsman VIII	74	84	-4	0%		16.92
Fidilionali vili	- - -		·			16.1.
4555	-	76	-4	0%	4.5	
4222	70.3					
4543	63.5	.74	3	0%	3	1570
					· .	15.78
Eagle	64		-	207		
pagie	. 04	95	0	10%	4	
				.: . <u> </u>		: پرسفان نا نا نا
Centurk	61	98	_1- 2	10%	4	8000
		· 				7000

Oryland Thelat and Observation Plat (Rano County) K 66.30 182 10,2 312 170 60 57 61 204 12.0 410 224 Dual TIL 53 60 189 11.9 378 207 +4 Qual V Deal VIII +2 41 60 168 10.9 307 168 47 62 168 11.9 336 184 0 51 61 182 13.4 410 224 alamsmen IV 64 62 229 12.9 495 270 Plainman VIV 0 72 62 257 13.6 587 321 50 61 179 10,8 324 177 Continuous crip low soil festility C0009

Hard Winter Whoat quality Responseh Unit US Grain Narketing Research Center Manhaltan Kansas

Table 1. Chemical, Hilling and Baking Data for Genetically High-Protein Special Plant Breeders' Samples of Hard Winter Wheat Progenies Harvested in Scott County, Kansas in 1974. 1/

																					7	6 -	- 5	50		
	Volume	Cor-	rect-	ed To		14.5% P		1152 5/	1023	1100 5/		1086		1108	1150	1056		1146	1102	1098 5/	1145	1107	1220		1111 -/-	1084 5/
Data_1	Loaf		As	Rec'd	ວິ		913	1182	616	1072	1139	1271	i	1213	1001	1010		920	1102	1105	1020	1058	1100	1170	977	1125
Bread-baking Data-2/		٠	Crumb	Grain			တ	ເນ	0-s	S	တ	છ		တ	S	တ		S	S	S,	εo.	. თ	S	.	ာတ	sa.
Bread		Mix-	ing 1,	Time 7/	min.	ı	3 4	- 0	4 7	4	m m	10½ U	-	88 0	. 4 9	52		32	3		1 9	ι.) alg	73 0		ر م تانه	e e
		Ab-	Borp-	tion	5 •€	-	65,5	70,4	65.2	69.9	66.5	71.4		70.7	65.0	68.3	. i	66.4	67.2	69.7	61,7	64.2	62.2	7 69	65.4	9.07
	16	Flour-'	Pro-	tein	82		11.9	14.9	13.8		15.6	17.2		16.0	13.3			11.4	14.5	14.6			13,0	15.2	12.6	15.1
		F1(Ash	26		77.	.46	.47	.530	.43	.46		. 43	.510			.43	. 43	.43	.500	.48	49 0	67.	43	.44
			Flour	Yield	⊳ €	!	73.7	71.2	72.5	73.8	76.0	76.3		76.5	75.7	75.8		70.0	73.0	73.9	74.8 4/	-	73.2 4[73.6	73.9	74.0
2.7			Pro-	tein	5 -6	,	12.6	15.9	14.7	14.7	16.3	17.9		16.5	13.8	14.5	,	12,5	15.9	15.8	13.9	14.9	14.2	16.4	13.8	16.4
	Wheat		,	Ash	6 42	1	1.63	1.75	1.72	1.810	1.60	1.61		1,51	1.58	1.53		1.65	1.64	1.60	1.58	1.68	1,83,0	1.56	1.59	1.65
		Ξ¢.	Per	BG.	lbs.		4.6	57.1	57.6	9.09	62.0	61.9	;	62.0	61.7	62.6		63.4	61.5	61.0	61.4	60.3	59.6	60.6	62.7	8.09
	ļ	C.I.	OL	Sel. No.		1 6	13546								121			13546				,			5.5	
				7	_				10			رحا			152	•	as l			•	_		523 2		4555	
			,	Variety		GROUP	Scout	LB /514	LB 7515	1.3 7516		LB 7518		LB 7519	13 7520	LB 7528	GROUP 2	Scout		FB /508	LB 7569		LB 7571	O. 1572		47 S. 15/4


INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory

ITEM

X

- Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the
 mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differ-
 - SoulDo. A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
 - Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.
- 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.



Research Center Rural Route 2, Box 48 Scott City, Kansas 67871 (316) 872-2807



Marketing Offices: 35 Corporate Woods 9101 W. 110th Street Overland Park, Kansas 66210 (913) 381-9630

SEED RESEARCH

Seed Research, Route 2, Box 48, Scott City, Kansas, a division of Agrigenetics Corporation, and the survivor of the merger of Seed Research Associates, Inc. has for \$20,000 and other considerations transferred ownership to Greenbush Seed and Supply, Route 4, Girard, Kansas of Plant Variety Protection certificate 7600050 issued for 4555 wheat variety which has the issue date of the 19th day of July, 1977. This transfer was made effective March 27, 1981.

4-/5-8/ Date

Seed Research

Kenneth L. Goertzen,

Dommers

DAVID W. SUMMERS
STATE NOTARY PUBLIC
SCOTT COUNTY, RA.
KANEAS MY ASPI. EXA June & 100



BUYERS, SELLERS, AND PROCESSORS OF FIELD SEEDS RURAL ROUTE 4 • GIRARD, KANSAS 66743

November 22, 1982

Kenneth Evans, Commissioner USDA, Agricultural Marketing Service National Agricultural Library Bldg. Beltsville, Maryland 20705 301-344-2518

Subject: Transfer of PVP Wheat Certificates - No. 7600025, 'GB 2148' No. 7600050,

Dear Sir:

For good and valuable consideration, receipt of which is hereby acknowledged, Greenbush Seed & Supply, Inc. hereby transfers unto Robert J. Jacquinot & Steven M. Jacquinot ownership of Plant Variety Protection Certificate Number 7600025 issued for the wheat variety 'GB 2148' on the 16th day of March, 1978 and of Plant Variety Protection Certificate Number 7600050 issued for the wheat variety '4555' on the 19th day of July, 1977.

You are hereby instructed to issue a new certificate and a recording for each of the above named varieties, all of which are to reflect the new ownership as stated above, at a fee of \$10.00 each and \$5.00 each respectively.

A check in the amount of \$30.00 payable to the U.S. Treasury was issued on the 14th day of September, 1982 for the services that are to be rendered.

The new certificates are to be forwarded to: Steven M. Jacquinot P.O. Box 342 St. Paul, Kansas 66771.

Greenbush Seed & Supply, Inc.

Steven M. Jacquinot, Secretary

DOROTI Y ALLISON My Appt. Exp.//-/-86 Youthy allisin

Mor 1, 1986 y commission expiration date

'GB 2148' Enclosures: PVP Certificate No. 7600025

PVP Certificate No. 7600050

•4555•

FORM GR-470-6 (2-15-73)

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY

WHEAT (TRITICUM SPP.)

	EAT (TRITICUM SPP.)
NAME OF APPLICANTIS	FOR OFFICIAL USE ONLY
Seed Research Associates Inc.	P VPO NUMBER
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP C	760050 · · · ·
R.R. 2, Box 48	VARIETY NAME OR TEMPORARY DESIGNATION
Scott City, Kansas, 67871	SESTIONAL TION
Place the appropriate number that describes the varietal Place a zero in first box (e.s. 0 8 9 or 0 9) when	character of this variety in the boxes below.
1. KIND:	
1 = COMMON = 2 = DURUM == 3 = EMMER = 4 = SPE	ELT 5 = POLISH 6 = POULARD 7 = CLUB
2. TYPE,	
() () () () () () () () () ()	1 = SOFT 3 = OTHER (Specify)
2 1 = SPRING 2 = WINTER 3 = OTHER (Specify)	2 2 = HARD
2 1 = WHITE 2 = RED 3 = OTHER (Specify)	en de la composition de la composition La composition de la
3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:	
3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:	and the second of the second o
FIRST FLOWERING	LAST FLOWERING
4. MATURITY (50% Flowering):	
0 4 NO. OF DAYS EARLIER THAN	2 1 = ARTHUR 2 = SCOUT 3 = CHRIS
	4 = LEMHI 5 = NUGAINES 6 = LEEDS
O O NO. OF DAYS LATER THAN	······ /
5. PLANT HEIGHT (From soil level to top of head): Scot	t County Irrigated
7 6 CM. HIGH	t county in igated
	<u></u>
CM. TALLER THAN	1 = ARTHUR 2 = SCOUT 3 = CHRIS
2 7 CM. SHORTER THAN	2 4 = LEMHI 5 = NUGAINES 6 = LEEDS
6. PLANT COLOR AT BOOTING (See reverse):	7. ANTHER COLOR:
1 = YELLOW GREEN 2 = GREEN 3 = BLUE GRE	EN 1 1=YELLOW 2=PURPLE
8. STEM:	
8. 21EW:	
Anthocyanin: 1 = ABSENT 2 = PRESENT	2 Waxy bloom: 1 = ABSENT 2 = PRESENT
Hairiness of last internode of rachis: 1 = ABSENT 2 = PRESENT	1 Internodes: 1 = HOLLOW 2 = SOLID
0 3 NO. OF NODES (Originating from node above ground)	CM. INTERNODE LENGTH BETWEEN FLAG LEAF
9. AURICLES:	T. II MA CENT OCCOM
y, ADRICLES:	·
Anthocyanin: 1 = ABSENT 2 = PRESENT	2 Hairiness: 1 = ABSENT 2 = PRESENT
10. LEAF:	
Flor leaf at 1 - sprow 2 - prove	
Flag leaf at 1 = ERECT 2 = RECURVED booting stage: 3 = OTHER (Specify):	2 Flag leaf: 1 = NOT TWISTED 2 = TWISTED
Hairs of first leaf sheath: 1 = ABSENT 2 = PRESE	NT Waxy bloom of flag leaf sheath: 1 = ASSENT 2 = PRESENT
08 MM. LEAF WIDTH (First leaf below flag leaf)	2 / CM. LEAF LENGTH (First leaf below flag leaf):

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
HYATTSVILLE, MARYLAND 20782 FORM GR - 470 (12-15-72)

(DATE)

FORM APPROVED OMB NO. 40-R3712

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

NSTRUCTIONS: See Reverse.	2. KIND NAME		FOR OFFICIA	L USE ONLY	
DESIGNATION 4555		inter wheat	PV NUMBER 76	000.50	
3. GENUS AND SPECIES NAME	4. FAMILY NAME (Bot	anical)	FILING DATE	TIME A.M.	
	Graminaea	e	FEE BECEIVED	BALANCE DUE	
Triticum aestivum	S. DATE OF DETERM	INATION	\$ 250.00	\$	
•	1973		\$250.00	\$	
			\$ 250.00	8. TELEPHONE AREA	
6. NAME OF APPLICANT(S)	Code)	d No. or R.F.D. No., C	Sity, State, and ZIP	316-872-	
	Seed Research Associates Route 2, Box 48				
Inc.	Scott C	ity, Kansas	, 67071	2807	
9. IF THE NAMED APPLICANT IS NOT A PER ORGANIZATION: (Comporation, partnership,	RSON, FORM OF association, etc.)	10. STATE OF INCOR		11. DATE OF INCOR-	
Corporation	·	Kans		June, 1973	
12. Name and mailing address of applic	ant representative(s), if any, to serve i	n this application ar	nd receive all papers:	
Seed Research Associat Route 2, Box 48 Scott City, Kansas, 67	871	**************************************			
13A. Exhibit A, Origin and Bree	eding History of the	Variety (See Sectio	n 52 of the Plant Va	riety Protection Act.)	
[X] 13B. Exhibit B, Botanical Desc	•				
🕱 13C. Exhibit C, Objective Desc	ription of the Variet	у			
🕱 130. Exhibit D, Data Indicative	e of Novelty				
X 13E. Exhibit E, Statement of the					
14A. Does the applicant(s) specify that (See Section 83(a), (If "Yes," an	t seed of this variety swer 14B and 14C b	elow.)	X YES NO		
148. Does the applicant(s) specify tha	t this variety be	14C. If "Yes," to		erations of production	
limited as to number of generation	XYES NO	beyond breed	N REGISTERED	CERTIFIED	
The applicant declares that a viable sance of a certificate and will be reple	sample of basic seed enished periodically	of this variety wil in accordance with	l be deposited upon such regulations as	request before issu- may be applicable.	
The undersigned applicant(s) of this uniform, and stable as required in S Plant Variety Protection Act.	ection 41 and is ent	itled to protection t	under the provisions	of Section 42 of the	
Applicant is informed that false repr	resentation herein ca	an jeopardize prote	ction and result in p	enalties.	
3/2/76 (DATE)	_	Heunit	IS L LOCALIST STATE OF APPLICA	00001	
				~~~~	

(SIGNATURE OF APPLICANT)

FORM GR-470-6 (REVERSE)	76-50
11. HEAD:	
Density: 1 = LAX 2 = DENSE	Shape: 1 = TAPERING 2 = STRAP 3 = CLAVATE  4 = OTHER (Specify) file forms
4 Awnedness: 1 = AWNLESS 2 = APICALLY AWNLETED 3	= AWNLETED 4 = AWNED
1 /1 Color or magnetics	RED U. S. DEPARTMENT ON 1991
O 9 CM. LENGTH	15 MM. WIDTH PS
12. GLUMES AT MATURITY:	Width: 1 = NARROW GA 3 Spring
Length: $l = SHORT(CA. 7 min.)$ $2 = MEDIUM(CA. 8 min.)$ $3 = LONG(CA. 9 min.)$	3 = WIDE (CA. 4 ma)
1 1 Glabrous 2 Pubescent	SAUTUOLTURE
Shoulder 1 = WANTING 2 = OBLIQUE 3 = ROUNDED shape: 4 = SQUARE 5 = ELEVATED 6 = APICULATE	Beak: 1 = OBTUSE 2 = ACUTE 3 = ACUMINATE
13. COLEOPTILE COLOR:	14. SEEDLING ANTHOCYANIN:
1 I = WHITE 2 = RED 3 = PURPLE	1 = ABSENT 2 = PRESENT
15. JUVENILE FLANT GROWTH HABIT:	
1 1 = PROSTRATE 2 = SEMI-ERECT 3 = EREC	Т
16. SEED:	
Shape: 1 = OVATE 2 = OVAL 3 = ELLIPTICAL	1 Cheek: 1 = ROUNDED 2 = ANGULAR
4 variable, but primarily oval	
Brush: 1 = SHORT 2 = MEDIUM 3 = LONG	Brush: 1 = NOT COLLARED 2 = COLLARED
Phenol reaction 1 = IVORY 2 = FAWN 3 = LT. BROWN (See Instructions): 4 = BROWN 5 = BLACK	
Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE	5 = OTHER (Specify)
0 6 MM. LENGTH 03 MM. WIDTH	GM. PER 1000 SEEDS
17. SEED CREASE:	
Width: 1 = 60% OR LESS OF KERNEL WINDKA	Depth: 1 = 20% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'CHRIS'
2 = 80% OR LESS OF KERNEL 'CHRIS' 3 = NEARLY AS WIDE AS KERNEL 'LEMHI'	3 = 50% OR LESS OF KERNEL 'LEMHI'
18. DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant)	
0 STEM RUST 2 LEAF RUST (Races)	O STRIPE RUST O LOOSE SMUT
O BUNT	OTHER (Specify)
19. INSECT: (0 = Not Tested, T = Susceptible, 2 = Resistant)	
0 SAWFLY 0 APHID (Bydv.)	GREEN BUG CEREAL LEAF BEETLE
OTHER (Specify) HESSIAN FLY	GP A G
RACES:	G
20. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT	UBMITTED:

INSTRUCTIONS

Plant-tillering

L'eaf size

5

Leaf color
Leaf carriage

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form
(a) L.W. Briggle and L. P. Reitz, 1963, <u>Classification of Triticum Species and Wheat Varieties Grown in the United States</u>, Technical Bulletin 1278, United States Department of Agriculture.

(b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the description of Official Seed Analysts. (See attachment.)

Seed size

Seed shape Coleoptile elongation

Seedling pigmentation

LEAF COLOR: Nickerson's or any recognized color fan should be used to determine the leaf color of the described variety.